

Your window film proposal

Prepared for Dale Simpson • 148 Morgan Avenue, Melrose Park

Hi Dale, thank you for the opportunity to put together this window film proposal for your home. We've selected options to help protect your interiors from fading while preserving the natural light, clear views and appearance you enjoy, with added glare control where you need it.

Film recommendations

3M Prestige Exterior 20

Selected to help protect the interiors beneath your skylights by reducing UV, visible light and solar heat. Its darker shade provides stronger control of incoming light, with a low-reflective exterior finish.

Appearance: the skylights will admit less daylight and have a more noticeable tint.

3M Prestige 40

The stronger balance for your glare and fade concerns, with a subtle tint and low-reflective appearance. Prestige 40 combines stronger glare and heat control with slightly greater estimated fade protection than Prestige 70.

A subtle change in appearance, with less incoming daylight than Prestige 70.

3M Prestige 70

A lighter option for the living area, kitchen and outdoor retreat where retaining the most natural light matters more than glare control. It offers UV and heat control with minimal change to the appearance of the glass.

The balance: more daylight and a subtler finish, with modest glare reduction of 22%.

Your investment

Area	Included film	Price incl. GST
Living area	3 panes · Prestige 70 or 40, internal	\$934.53
Kitchen	1 pane · Prestige 70 or 40, internal	\$337.38
Outdoor retreat	2 panes · Prestige 70 or 40, internal	\$1,052.22
Skylights	2 panes · Prestige Exterior 20	\$242.87

Total installation price: \$2,567.00 including GST

A 50% deposit secures materials and installation. The balance is payable on completion. The price is the same for either ground-level shade. Ground-level film selection is confirmed through your online quote.

Performance & warranty

Measure	Prestige Exterior 20	Prestige 40	Prestige 70
Estimated fade reduction	74%	66%	64%
UV rejection	99.9%	99.9%	99.9%
Glare reduction	77%	55%	22%
Visible light transmission	21%	39%	69%
Solar heat gain coefficient	0.34	0.40	0.50
Total solar energy rejected (60°)	72%	66%	59%
Infrared rejection (up to)	97%	97%	97%
Exterior reflectance	5%	7%	9%

TSER figures are at 60° on 6 mm clear glass. SHGC figures use normal incidence. Infrared rejection is advertised over 900–1000 nm.

Manufacturer product warranties

3M Prestige 70 & 40 — Limited lifetime

Residential cover for the internally applied film on your ground-level windows.

3M Prestige Exterior 20 — 7 years

Product cover for horizontal or sloping glass, including skylights. Exterior labour cover is limited to the first year.

Cover includes manufacturing and material defects affecting the film's appearance, adhesion and solar-control properties, such as peeling, bubbling, delamination and discolouration.

The warranty belongs to the original customer and is not transferable. Installation and care must meet 3M's requirements. Scratches, damage and improper cleaning are excluded.

Prestige Exterior has a 10-year product warranty on vertical glazing; the 7-year period applies to the horizontal or sloping skylight application quoted here.

Contact AWT if you have a concern. We can inspect the film and assist with a manufacturer claim; retain your invoice and warranty record.

Lifetime workmanship guarantee

AWT provides a Lifetime Workmanship Guarantee for the duration of your occupancy, subject to the supplied terms and conditions. This covers our installation workmanship, alongside the 3M product warranties above.

Care after installation

Allow the film to cure naturally. Temporary haze and small water pockets can occur during drying. Do not press or pierce them, and wait at least 30 days before the first clean. Use soft materials and follow the supplied care guide.

The complete AWT Terms & Conditions follow. For product brochures and example installations, visit your online quote.

TERMS AND CONDITIONS OF CONTRACT

1. THE AGREEMENT

This Agreement is entered into between Adelaide Window Tinting (the "Company") and the Customer named on the Authority to Proceed. This document, alongside the signed Authority to Proceed, constitutes the entire agreement between the parties to the exclusion of all other communications, oral or written.

2. CONTRACT PRICE AND PAYMENT

2.1 The contract price shall be the amount set out in the written quotation, valid for a period of thirty (30) days from the date of issue.

2.2 A deposit of 50% is required upon acceptance of the Agreement to secure materials and installation dates.

2.3 The remaining balance must be paid in full via one single payment (EFT or Credit Card) immediately upon completion of the works.

2.4 Failure to remit the balance on the date of completion will result in the account being deemed "Overdue."

3. OVERDUE ACCOUNTS AND CANCELLATION

3.1 Overdue moneys shall accrue interest at a rate of 1.5% per month, calculated on monthly rests from the date the moneys were payable until the date repayment is received.

3.2 A monthly bookkeeping and administration fee of \$25.00 shall apply to all accounts with outstanding balances.

3.3 The Customer may cancel this order only with the express written consent of the Company. In such event, the Customer shall reimburse the Company for all expenses and overheads incurred in the preparation and execution of the order.

4. WARRANTIES AND LIABILITY

4.1 The Company warrants all materials and workmanship for the period specified on the Authority to Proceed.

4.2 Workmanship Guarantee: The Company provides a Lifetime Workmanship Guarantee for the duration of the Customer's occupancy.

4.3 Performance Limits: The Company's liability for product performance is strictly limited to the technical specifications provided by the manufacturer (e.g., 3M). Performance claims must be appraised against published manufacturer data sheets and not subjective internal measurements.

4.4 Exclusions: All warranties are void if: (a) total moneys due have not been paid; (b) materials are maintained otherwise than in accordance with Company recommendations; or (c) the Customer is in breach of any conditions herein.

4.5 Thermal Stress: No claims shall be made against the Company for thermal stress fractures caused by faulty glazing, pre-existing glass defects, or leaking frames.

5. EXECUTION AND SITE ACCESS

5.1 The Customer shall ensure unimpeded access to the site between 8:00 AM and 5:00 PM.

5.2 The Customer must ensure all moveable obstructions and pets are removed from the work site prior to commencement.

5.3 Pre-Existing Condition: The Company reserves the right to document the pre-existing condition of all glass and frames via digital photography prior to commencement. The Company shall not be liable for any defects or damage identified in these pre-work records.

5.4 Weather Contingency: For exterior installations, the Company reserves the right to reschedule works if environmental conditions (wind, rain, extreme heat) prevent an application meeting manufacturer standards.

6. PRODUCT APPRAISAL AND CURING

6.1 Curing Process: Curing typically takes 3 to 60 days. During this period, optical haze or moisture pockets may be observed; these are a normal part of the drying process and are not grounds for a claim of defective installation.

6.2 Appraisal Standard: The finished product shall be appraised from a distance of three (3) meters under normal lighting conditions, in accordance with international glass industry standards.

7. CARE AND MAINTENANCE

7.1 The Customer shall not clean or touch the film for at least thirty (30) days following installation.

7.2 Abrasive brushes, scrapers, or harsh chemicals are strictly prohibited.

7.3 Exterior Care: Exterior films must be flushed with low-pressure water to remove grit/salt before wiping. The use of high-pressure water cleaners directly on film edges is prohibited and may void the warranty.

AUSTRALIAN CONSUMER LAW NOTICE: *Nothing in this Agreement is intended to exclude, restrict, or modify any consumer guarantees under the Australian Consumer Law which cannot be excluded by law.*

ADELAIDE WINDOW TINTING
25 Years of Technical Industry Experience